SWITCHES AND SOCKETS



# RENOVA

GENERAL CATALOGUE

Schneider Electric

Your home is more than four walls; it is a living, breathing space. The sanctuary where your journey unfolds and evolves. A place for every mood and any occasion. Your home is full of life, love, laughter, family, friends and fun. We help adapt your home to the rhythm of your life. We provide ingeniously designed solutions to enhance your life. We create technology that brings your home to life.

## **Contents**

Design overview	4
Renova Original	6
Renova Glass	8
Renova Effect	10
Renova Functions	12
Flexibility	14
Practical recommendations	15
Renova system	16
Range	19



## RENOVA ORIGINAL

## RENOVA GLASS

## TIMELESS BEAUTY

contemporary design that never gets out of style will addict to the nostalgic, aesthetic shapes. Underlined by a large number of modern functions, Renova Original blends perfectly with all requirements on classical architecture.

## **URBAN VANGUARD**

Sourcing elegant high-quality materials like glass, this vanguard design variant perfectly complement your modern interior. The timeless white and black combined with the elegantly sleek material match the novel architectural style of functionalism, lending a retro touch to your urban home.



## RENOVA EFFECT

## MAGNIFICENT ELEGANCE

a charge out of this mineral- and wood-toned colour palette. A modern photographic technique makes Renova Effect available with a metallic, wooden or marble finishing, thus enhancing the elegance of an aged classic interior.

## FULL FLEXIBILITY

## **CLEVER AND SMART**

Simplify your life with smart and practical functions generating added value to the out-standing design of Renova. Various electrical inserts, crafty wallpaper protectors or the unique frame system for combination mounting you easily create the set of wiring devices you need.



### Every-

thing was not better in
the good old days. But a lot of things
were often more beautiful. So if you are thinking
of renovating, modernizing or complementing electric
installations in an established environment, do not miss
Renova. With its timeless, classic appearance this design
range offers a number of remarkable features: black and white


## TIMELESS BEAUTY

finishing, from ancient like rotary switches to modern dimmers and data outlets, all rounded in sophisticated shape – Renova blends with your classical ambience, perfectly suiting










## URBAN VANGUARD IN GLASS

Elegant and affordable, these switches are made of high-quality material, enhancing your decoration and adding a dash of purity. Since glass made a big entrance in the 1920s' architecture, this elegantly sleek material perfectly matches the novel architectural style of functionalism. Renova Glass captures this look, but thanks to its simple and pure design entirely flows into urban, public environments as well as highly sophisticated interiors. Design variants are available with a black or white base, housing one, two or three devices.





## MAGNIFICENT EFFECTS

Challenging or enhancing exclusivity in a luxurious room? Creating contrasts between old environments and modern furnishing? Complement your black or white Renova switches and accessories with the magnificent Renova Effect range. Those cover frames have been draped under a surface of photographic foil.







Choose between walnut or marble in white or black. Or do you desire bold and shimmering metallic surface in stainless steel, titanium, bronze or copper? With its deep, intense colouring, Renova Effect will bring a cutting-edge touch to your elegant decoration.











## From

classical electronic functions (lighting dimmers, timers and movement detectors) to highly evolved multimedia outlets (Standard Radio/TV to Multimedia and Satellite) Renova is what you are looking for if you aspire to have the pleasure of nice elderly look equipped with unique accessories, all meeting todays demands on electric safety

## ICONIC IN DESIGN AND FUNCTION

and comfort. Smart properties like wallpaper protectors or the easy click-in technique for comfortable mounting of 2- and 5-gang combinations (even more if you want to) will further simplify your



## ENJOY MORE FLEXIBILITY

Renova contributes to environmental protection through various control features. As a matter of course, it also stands for a responsible use of resources. Therefore Renova is delivered with separate E-numbers, namely one for the insert and another one for the frame. So there won't be any left-over of components after installation, thus leading to reduced waste and costs.



There is a variaty of mixing and matching designs by choosing from two basic colours for switches and socket outlets plus different frames in several colours and material




## PRACTICAL RECOMMENDATIONS



## WALLPAPER PROTECTORS

Probably you've noticed stains and marks on the wallpaper around your outlets. Let tricks from former times solve your problem. The Renova wallpaper protectors will reduce the wear and tear! In addition to the protective function they will also re-create that authentic feeling of an older house and cover marks from previous installations. The wallpaper pro-tectors are available in a white, black or transparent version, and for single or combination mounting. Electric devices don't need to be removed when applying the wallpaper protector, so the protection can easily be installed.



## **COMBINATION FRAMES**

Renova has a unique system of frames for combination mounting. You do not need to have a lot of different frames to do your combination installations. Starting with a pair of end frames and adding middle frames you can create all the combinations of wiring devices you need. With the click-in technique mounting is easily done and the c/c-distance is 71 mm to fit box combinations.



### SURFACE MOUNTING

Renova can be mounted in flush-mounted or surface mounted boxes. A junction box is also available, with or without terminal block. For surface mounting use a round or oval box in white or black. The boxes suit the whole range except glass frames. All boxes have entries for neutral conductors and knock-outs for conduits. When making connections in the junction box you will notice the generous space and the smart terminal block.




## SWITCHES + SOCKET OUTLETS

Explore new and better solutions with the updated Renova switch inserts. The system is based on some established installation traditions combined with a number of innovations like an easier entrance hole for wires or even bigger release buttons.



Furthermore Renova offers a new single socket outlet with an improvement on entrance holes and bigger release buttons, thus leading to a more easy and fast installation.





## Inserts

R	ocker switches				
		Type	Colour	Qty/pack	Ref. No
P140873, P140882		Rocker switches  Switches 16 A for flush mounting in box c/c 60 or surface in surface-mounting of rockers and mounting frame. The switches have two neutral claws. To be completed with Renova frame.			
P1406		2-pole screwless	White Black	5 5	WDE011006 WDE011206
P143148, P140883		Two-circuit screwless	White Black	5 5	WDE011016 WDE011216
P143149, P140884		Two-way screwless	White Black	5 5	WDE011021 WDE011221
P143148, P140883		2 x two-way screwless	White Black	5 5	WDE011026 WDE011226
P143149, P140884		Intermediate screwless	White Black	5 5	WDE011031 WDE011231
R	otary switches				
40887		Rotary switches  Rotary switch 10 A for flush mounting in box c/c 60 or surface in surface	-mounted box 35	mm. Screw connec	tion. Screw fixing
P140875, P140887		of the knob. To be completed with Renova frame.  Two-circuit	White Black	5 5	WDE011066 WDE011266
P140875, P14087		Two-way	White Black	5 5	WDE011068 WDE011268
R	ocker push-buttons				
		Type	Colour	Qty/pack	Ref. No
140884		Rocker push-buttons  Push-buttons 16 A for flush mounting in box c/c 60 or surface in surface mounting of rockers and mounting frame. Supplied with claws. To be co			nection. Snap-in
P143149, P140884		Two-way screwless	White Black	5 5	WDE011002 WDE011202
P140874, P140886		Push-button jalusi screwless	White Black	5 5	WDE011054 WDE011254
P 140872, P 140881		Rocker push-buttons with LED  Push-buttons with red LED indication 16 A for flush mounting in box c/c  Screwless connection. Snap-in mounting of rockers and mounting fram  Supplied with claws. To be completed with Renova frame.			
P14(		Two-way with signal lamp screwless	White Black	5 5	WDE011004 WDE011204
Co	ontrol Switches	Control Cuitabas			
P140872, P140881		Control Switches  Switches 16 A with red LED indication for flush mounting in box c/c 60 o connection. Snap-in mounting of rockers and mounting frame. The push with claws. To be completed with Renova frame.			
P140		2-pole screwless	White Black	5 5	WDE011062 WDE011262

## Inserts

P	ush-buttons				
		Туре	Colour	Qty/pack	Ref. No
		Parallell push-buttons			
P143150, P148803		Parallel Push-button, 1A with red or stainless steel button. For flus mm. Screwless connection. Including E10 lamp except for the verlamp-circuit. Screw fastening of the center plate. Supplied with cla	sions with stainless ste	el button and with s	
P143		1-pole, stainless steel button screwless	White Black	5 5	WDE011043 WDE011243
92		1-pole red button and lamp, screwless	White	5	WDE011048
P143151, P140885		1-pole fed button and famp, screwess	Black	5	WDE011248
P143151, P140885		1-pole red button and separate lamp-circuit, screwless	White Black	5 5	WDE011053 WDE011253
		Low voltage push puttons			
P140876, P140888		Low voltage Push-button with red LED. 1, 2 or 4 buttons with impu 400 mA, 12 - 24V AC or 12 - 30V DC. For flush mounting in a box of completed with Renova frame.			
P14		1-pole	White Black	1 1	WDE011070 WDE011270
P140877, P140889		2-pole	White Black	1	WDE011071 WDE011271
P1408		Low voltage push puttons cont.			
890	450 450	4-pole	White	1	WDE011072
P140878, P140890			Black	1	WDE011272
Li	ght signals				
		Light signals			
P140885		Light signal, 1 A with red lens. For flush IP20 mounting in box c/c 6 connection. Including E10 lamp. Screw fastening of the center pla			
P143151, P140885		Light signal with red lense	White Black	5 5	WDE011080 WDE011280
В	lind center plates				
10891		Blind center plates			
P92280,P140891		Blind center plate including fixing frame. To be completed with Rer	nova frame.		
P922		Blind cover	White Black	5 5	WDE011090 WDE011290
S	ocket outlets				
		Single socket outlets			
P148801, P140892		1-way socket outlet, 16 A, for combination mounting. With shutters box c/c 60 mm or surface in surface-mounted box 35 mm. To be compared to the compared to th			sh mounting in a
3801, F		One-way unearthed screw, with claws	White	5	WDE011101
P148			Black	5	WDE011301
0893		One-way earthed, screwless, with claws	White	5	WDE011103
P143152, P140893			Black	5	WDE011303
0893		One-way earthed, screw without claws	White	5	WDE011105
P143152, P140893			Black	5	WDE011305

## **Inserts and boxes**

Socket outlet	ts				
		Туре	Colour	Qty/pack	Ref. No
		Double socket outlets			
P148802, P140894		2-way socket outlets, 16 A, screw connections. With shutt surface mounted box 25 mm. The socket outlets have two completed with Renova frame.	ers. For flush mounting in a box on neutral extra terminals except of	c/c 60 mm or surfa outlets with 2 circui	ce mounting in ts. To be
		Two-way unearthed, screw, with claws	White Black	5 5	WDE011121 WDE011321
P443'12, P140896		Two-way earthed, screw, with claws	White Black	5 5	WDE011122 WDE011322
		Two-way earthed, screw, without claws	White Black	5 5	WDE011127 WDE011327
F43.1 L, F140959		Two-way earthed 2-circuits, screw, with claws	White Black	5 5	WDE011126 WDE011326

Lu	minaire ou	tlets				
			Туре	Colour	Qty/pack	Ref. No
			Luminaire outlets			
P140896	(1)		Luminaire outlet for wall mounting, 6 A, screwless connection. For flusior in a surface box 22 mm. To be completed with Renova frame.	n mounting in a box	c c/c 60 mm, a junct	tion box c/c 67 mm
>140879,		((25))	230 VAC- 2-pole unearthed	White	5	WDE011140
P14	-50			Black	5	WDE011340
140897	45		230 VAC- 2-pole earthed	White	5	WDE011141
P140880, P14				Black	5	WDE011341

P140880, P140	C			Black	5	WDE011341
В	oxes					
			Surface boxes			
:LP05551	11	A	Surface boxes for single devices and for double socket outlets. Fixing hol in bottom. To be completed with Renova frame.	les for mounting ov	er flush box c/c 60	mm. Knock-outs
P92289, E		<b>H W</b>	Low 1-gang 22 mm	White	5	WDE011150
P92				Black	5	WDE011350
P05551	111		High 1-gang 35 mm	White	5	WDE011151
P92289, ELP0				Black	5	WDE011351
1763			Ovalform for double socket outlets 25 mm	White	5	WDE011152
P125449, ELP03763				Black	5	WDE011352

## **Cover frames**

Вс	xes				
		Туре	Colour	Qty/pack	Ref. No
		Junction boxes			
		Junction box for surface mounting, Ø83 mm. Without	terminals or with 5-pole terminal.		
ELP05247, ELP05249	0	Without terminals	White Black	5 5	WDE011160 WDE011360
05247, ELP05249		With 5-pole terminal	White Black	5 5	WDE011161 WDE011361

### **Cover frames**

### 1-gang

One way frames for single Renova devices. For flush mounting or surface mounting at surface boxes. The metallic, wood and stone look-alike frames are made in painted plastic.



WDE011400 WDE011420 WDE011440 White 5 Black Stainless steel WDE011444 Bronze WDE011448 Copper Titanium WDE011452 Walnut WDE011456 White marble WDE011460 Black marble WDE011464

#### Cover frames combination

Outer combination frames for two-gang combination of Renova devices. For flush mounting. The metallic, wood and stone look-alike frames are made in painted plastic.



White	2	WDE011402
Black	2	WDE011422
Stainless steel	2	WDE011441
Bronze	2	WDE011445
Copper	2	WDE011449
Titanium	2	WDE011453
Walnut	2	WDE011457
White marble	2	WDE011461
Black marble	2	WDE011465

### Cover frames

### Middle cover frames combination

Middle combination frames for multi combination of Renova devices. Is used in between two cover frames. For flush mounting. The metallic, wood and stone look-alike frames are made in painted plastic.



White	1	WDE011403
Black	1	WDE011423
Stainless steel	1	WDE011442
Bronze	1	WDE011446
Copper	1	WDE011450
Titanium	1	WDE011454
Walnut	1	WDE011458
White marble	1	WDE011462
Black marble	1	WDE011466

Frames for double socket outlets. For flush mounting or surface mounting at surface boxes. The metallic, wood and stone and stone are consistent of the contract of the contlook-alike frames are made in painted plastic.



White	5	WDE011404
Black	5	WDE011424
Stainless steel	1	WDE011443
Bronze	1	WDE011447
Copper	1	WDE011451
Titanium	1	WDE011455
Walnut	1	WDE011459
White marble	1	WDE011463
Black marble	1	WDE011467

### Cover frames in glass

es 1 to 3-gang and for double socket outlets. For flush mounting. In glass

Frames 1 to 3-gaing and for double socket outlets. For mush	i inounting. In glass.		
1-gang	White Black	1 1	WDE011406 WDE011426

## **Cover frames and inserts**

over frames	Time	Colores	Otre/resealer	Def No
	Type Cover frames in glass	Colour	Qty/pack	Ref. No
88	2-gang	White Black	1 1	WDE011407 WDE011427
AA	3-gang	White Black	1 1	WDE011408 WDE011428
36	For double socket outlet	White Black	1 1	WDE011409 WDE011429
all paper protection				
100 m	Wall paper protection for covering around a single Renova inse	ert. Ø116 mm.		
	Wall paper protection	White Black Transparent	1 1 1	WDE011500 WDE011500 WDE011500
	Wall paper protection for covering around a 2-gang combination	on of Renova insert.	Ø116 mm	
	Wall paper protection combi mounting outer	White Black Transparent	2 2 2	WDE011507 WDE011504 WDE011507
	Wall paper protection for covering around a multi-gang combin	nation of Renova inse	ert. Ø116 mm	
	Wall paper protection combi mounting middle	White Black Transparent	1 1 1	WDE011502 WDE011508 WDE011508
witch accessories				
	Separate rockers with printed symbols suitable for S90 switch	•		
P	Rocker with printed symbol "KEY" suitable for S90 switch	White Black	1 1	WDE011521 WDE011521
	Rocker with printed symbol "BELL" suitable for S90 switch	White Black	1	WDE01152 WDE01152
	Rocker with printed symbol "LAMP" suitable for S90 switch	White Black	1 1	WDE01152

LSB03374EN Schneider Flectric

23

## Inserts

_						
e,	witch acce	ssorios				
3	WILCIT ACCE	3301163	Туре	Colour	Qty/pack	Ref. No
			Separate rockers with printed symbols suitable for S100 switch		a.y.pao	
P148805, P148812	9		Rocker with printed symbol "KEY" suitable for S100 switch	White Black	1 1	WDE011530 WDE011533
P148806, P148813	4		Rocker with printed symbol "BELL" suitable for S100 switch	White Black	1	WDE011531 WDE011534
P148807, P148814	0		Rocker with printed symbol "LAMP" suitable for S100 switch	White Black	1	WDE011532 WDE011535
			Separate knobs with printed symbols for parallel push-buttons.			
P148808		(-3)	Red knob with symbol "KEY"	Red	1	WDE011523
P148809		D	Red knob with symbol "BELL"	Red	1	WDE011524
P148810		(Q)	Red knob with symbol "LAMP"	Red	1	WDE011525
P148811			Stainless steel knob with symbol "BELL"	Stainless steel	1	WDE011526
D	immers					
			Dimmer transistor 315/630W/VA			
P143312, P140922			Transistor dimmer 20-315 W 20-630 W. Rotary dimmer for dimming of electronic transformers (C). Screw terminals. Switched on and off switches. IP20. For flush mounting in a box c/c 60 mm or surface in s frame.	via pushing at the knob.	2-way function	in combination with
D.			Dimmer transistor 315 W	White	1	WDE011600





Diffiller transistor 3 to vv	Black	WDE011607
Dimmer transistor 630 W	White Black	WDE011601 WDE011608

### Dimmers





### Universal dimmer 420 W/VA

Universal dimmer 20-420W/VA. Rotary dimmer for dimming of incandescent, 230 VAC halogen lamps (R) and most types of electronic (C)/conventional/iron core transformers (L). Different transformer types cannot be mixed. Screw terminals. Switched on and off via pushing at the knob. 2-way function in combination with switches. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

Dimmer universal 420 W/VA	White 1 Black	WDE011605 WDE011612

## Potentiometer HF-units 1-10V

Potentiometer 1-10 V. Rotary potentiometer for controlling HF ballast. 1-pole, nominal load 400VA at 1,7 A. Screw terminals. Switched on and off via pushing at the knob. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

Dimmer HF-unit 1-10 V	White	1	WDE011603
	Black		WDE011610

### **Speed controller**

Colour Qty/pack Ref. No Speed controller



Speed controller 20-400VA. 1-pole speed controller for control of 1- asynchronous motors. Screw terminals. The speed controller starts at 100 %. This is to get the maximum torque of the engine during starting. IP20. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

Speed controller 400 VA WDE011604 WDE011611

#### **Timers**







Electronic timer 2-pole 10 A. Adjustable between 15, 30 min and 1, 2, 4, and 8 hours delaying time. Requires neutral wire. Screw connection. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame

White WDE011614 Timer 2-pole WDE011618 Black

#### **Movement detectors**

#### **Movement detectors PIR**





Movement detector (PIR) 180 °, maximum load 500-2300 W/VA depending on the type of load. For resistive (R), capacitive (C) or inductive (L) loads such as electronic Transformers (C) or conventional-/iron core transformer (L). The different type of loads can be mixed. Requires neutral conductor. Screw connection. Detection angle 180 ° Adjustable time 1 s-20 min and light value 5-1000 lux. Mounting height 1 - 1.5 m above the floor. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.

PIR 2300 VA White WDE011617 WDE011621 Black

### **Thermostates**

#### **Thermostats**





Electronic thermostat 2-pole 16 A with screw terminals. LED indicating green = running, red = active. Temperature range +5 ° C to +50 °C. Difference between on-off 1 °C. For flush mounting in a box c/c 60 mm or surface in surface-mounted box 35 mm. To be completed with Renova frame.



Room Thermostat 16 A	White	1	WDE011622
	Black	1	WDE011624
Floor Thermostat 16 A	White	1	WDE011623
	Black	1	WDE011625

### **Center plates**

Туре	Colour	Qty/pack	Ref. No					
Center plates RJ45 Actassi modular outlets								





Center plate for one or two Actassi modular outlets. For flush mounting in a box c/c 60 mm or surface mounting in surface-mounted box 35 mm. Delivered including modular mounting frames. To be completed with Renova frame



Actassi center plate 1 x Actassi RJ4 Soutlets	Black	1	WDE011700 WDE011702
Actassi center plate 2 x Actassi RJ4 5outlets	White	1	WDE011701
	Black	1	WDF011703

### Antenna outlets

R/TV outlets







	mm or surface in surface-mounted b
	Terminal antenna outlet R/TV- S1TI
100	
	Intermediate antenna outlet R/TV- S









Antenna outlets standard radio/TV: to distribute radio and TV signals through tree networks. For flush mounting in a box c/c 60
mm or surface in surface-mounted box 35 mm. To be completed with Renova frame

Intermediate antenna outlet R/TV- S6	White Black	1 1	WDE011721 WDE011741
	Віаск	1	WDE011740

White

WDE011720

25

Intermediate antenna outlet R/TV-S8 White WDE011722 Black WDE011742

Schneider LSB03374EN

## Inserts

Αľ	ntenna outlets	T	Onles	Otesteresi	Def No
		Type	Colour	Qty/pack	Ref. No
		Intermediate antenna outlet R/TV- S10	White Black	1 1	WDE011723 WDE011743
		Intermediate antenna outlet R/TV- S13	White Black	1	WDE011724 WDE011744
		R/TV Data outlets			
		Antenna outlets R/TV Data for multi media: to distribute sign networks with reserved space for TV, radio and data connec surface-mounted box 35 mm. To be completed with Renova	tions. For flush mounting in a	ulti media outlets is box c/c 60 mm or s	designed for surface in
		Intermediate antenna outlet R/TV/D- M8	White Black	1 1	WDE011725 WDE011745
		Intermediate antenna outlet R/TV/D-M10	White Black	1	WDE011726 WDE011746
		Intermediate antenna outlet R/TV/D- M13	White Black	1	WDE011727 WDE011747
		R/TV/SAT outlets			
		Antenna outlets R/TV/SAT with satellite outlet: to distribute where you have chosen to connect the common antenna wit mm or surface in surface-mounted box 35 mm. To be completed to the complete with the complete surface in surface.	h the signal from a satellite d		
		End antenna outlet R/TV/SAT- X0	White Black	1 1	WDE011728 WDE011748
		Intermediate antenna outlet R/TV/SAT- X10	White Black	1	WDE011729 WDE011749
		Intermediate antenna outlet R/TV/SAT- X13	White Black	1	WDE011730 WDE011750
Ге	lephone outlets				
		Telephone outlets			
		Telephone outlets Swedish standard. For flush mounting in a completed with Renova frame	a box c/c 60 mm or surface in	surface-mounted b	oox 22 mm. To be
10000		Telephone outlet 4-pole Sweden	White Black	1	WDE011770 WDE011771

## Reference number overview

WDE011	002	.19	WDE01	1350	21	WDE011	523	.2
WDE011	004	.19	WDE01	1351	21		524	
WDE011	006	.19	WDE01	1352	21	WDE011	525	.2
	016		WDE01	1360	22		526	
	021			1361			527	
	026			1400			528	
	031			1402			529	
	043			1403			530	
	048			1404			531	
	053			1406			532	
	054			1407			533	
	062			1408			534	
	066			1409			535	
	068			1420			600	
	070			1422			601	
	071			1423			603	
	072			1423 1424			604	
	080						605	
				1426			607	
	090			1427				
	101			1428			608	
	103			1429			610	
	1105			1440			611	
	1121			1441			612	
	1122			1442			614	
	126			1443			617	
	127			1444			618	
	140			1445			621	
	141			1446			622	
	150			1447			623	
	151			1448			624	
WDE011	152	.21		1449			625	
	160			1450			700	
	161			1451			701	
WDE011	202	.19	WDE01	1452	22		702	
	204			1453			703	
WDE011	206	.19	WDE01	1454	22		720	
<b>WDE011</b>	216	.19	WDE01	1455	22	WDE011	721	.2
<b>WDE011</b>	221	.19	WDE01	1456	22	WDE011	722	.2
<b>WDE011</b>	1226	.19	WDE01	1457	22	WDE011	723	.26
<b>WDE011</b>	1231	.19	WDE01	1458	22	<b>WDE011</b>	724	.26
<b>WDE011</b>	1243	.20	WDE01	1459	22	<b>WDE011</b>	725	.26
<b>WDE011</b>	1248	.20	WDE01	1460	22	<b>WDE011</b>	726	.26
WDE011	1253	.20	WDE01	1461	22	WDE011	727	.26
WDE011	1254	.19	WDE01	1462	22		728	
	1262			1463		WDE011	729	.26
	1266			1464			730	
	1268			1465			740	
	1270			1466			741	
	1271			1467			742	
	1272			1500			743	
	1280			1501			744	
	1290			1502			745	
	1301			1503			746	
	1303			1504			747	
	1305			1505			748	
	1321			1506			740 749	
	1322			1507			749 750	
	1326			1507			770 770	
	1327			1520			770 771	
	1340			1520		VVDLUII	/ / 1	. 2
	1340			1521 1522				

LSB03374EN Schneider Flectric

27

**Schneider Electric Industries SAS** 

35, rue Joseph Monier F- 92506 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 896 313 776 € www.schneider-electric.com  $As \ standards, \ specifications \ and \ designs \ change \ from \ time \ to \ time, \ please \ ask \ for \ confirmation$ of the information given in this publication.



This document has been printed on ecological paper

Design: Schneider Electric, Photos: Thinkstock, gettyimages, Corbis

Printed: